






HF
Halogen Free


| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|----------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X2 | | 1/x2 | 增加料号规格 | 2022.03.23 | JACKY |
| X3 | | 1/x3 | 新增规格 | 2022.09.02 | tanghaibo |



RECOMMEND PC BOARD HOLE PATTERN:
CONNECTOR MOUNT SIDE
(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS: 1.0~1.6±0.10



34POS: 5611BG-001H****T000



- MATERIAL: HOUSING: GLASS FILLED THERMO PLASTIC POLYESTER(94V-0)
COLOR: BLACK OR WHITE
CONTACT: COPPER ALLOY
RETENTION PEG: PRE-TIN COPPER ALLOY
- FINISH(ALL OVER): NICKEL PLATING 1.27um MIN
- FINISH(CONTACT AREA): GOLD PLATING SPECIFICATIONS
REFER TO THE FOLLOWING MATERIAL NUMBER CODE SPECIFICATIONS
- FINISH(CONTACT TAIL): TIN PLATING 2um MIN AFTER
- THE SHAPE, SIZE AND POSITION OF THE CHARACTER
SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS
- PART NO.: 56**BG-***H * * * * T000

RESERVE NUMBER
PACKAGE CODE:
P: TUBE
R: REEL
T: TRAY
LOGO MARK:
1: WITH DEREN LOGO
2: WITHOUT LOGO
PLATING CODE:
1: G/F
2: Au :5u"
3: Au :10u"
4: Au :15u"
5: Au :30u"
HOUSING COLOR:
1: BLACK
2: WHITE
WATER CODE: 001~ZZZ
POS CODE:
10POS: 0A
20POS: 0L
26POS: 0S
28POS: 0U
30POS: 0W
34POS: 11

| | | | | | | |
|-----|-----|----|------|------|------|---------------------|
| 34 | X | 16 | 32.0 | 35.0 | 36.6 | 5611BG-001H****T000 |
| 30 | X | 14 | 28.0 | 31.0 | 32.6 | 560WBG-004H****T000 |
| 28 | X | 13 | 26.0 | 29.0 | 30.6 | 560UBG-001H****T000 |
| 26 | X | 12 | 24.0 | 27.0 | 28.6 | 560SBG-001H****T000 |
| 20 | X | 9 | 18.0 | 21.0 | 22.6 | 560LBG-001H****T000 |
| 10 | X | 4 | 8.0 | 11.0 | 12.6 | 560ABG-001H****T000 |
| POS | KEY | n | A | B | C | PART NO. |

| DIM | TOL | DIM | TOL |
|-----|-------|-----|-----|
| .x | ±0.30 | .x | ±5' |
| .x | ±0.30 | .x | ±3' |
| .xx | ±0.30 | | |



DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

DRAW NO.

DESIGN: Tanghaibo

DATE: 2022.09.02

REV. X3

CHECK:

APPROVAL:

TITLE: WTB Mate XXP 15H Pitch2.0 90DIP ASSY










P/N: 56**BG-***H****T000

SHEET: 1/3

SCALE: 1:1 UNIT: mm

HF
Halogen Free

| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|----------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X2 | | 1/x2 | 新增料号规格 | 2022.03.23 | JACKY |
| X3 | | 1/x3 | 新增规格 | 2022.09.02 | tanghaibo |





30POS: 560WBG-004H****T000

28POS: 560UBG-001H****T000







26POS: 560SBG-001H****T000

| DIM | TOL | DIM | TOL |
|-----|-------|-----|------|
| .x | ±0.50 | .x | ±0.5 |
| .x | ±0.35 | .x | ±0.3 |
| .xx | ±0.30 | | |

| | | | | | | | | |
|---|--|--|--|-------------------|------------|---|---|--|
|  | | DEREN SHENZHEN DEREN ELECTRONIC CO., LTD | | CUSTOMER DRAWING | | DATE | TITLE: WTB Mate XXP 15H Pitch2.0 90°DIP ASSY | |
| | | | | DESIGN: Tanghaibo | 2022.09.02 | P/N: 56**BG-***H****T000 | | |
| DRAW NO. *** | | CHECK: | | SHEET: 2/3 | |  | | |
| REV. X3 | | APPROVAL: | | SCALE: 1:1 | | UNIT: mm | | |

HF
Halogen Free


| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|-----------------|-----------------|------------|-----------|
| X1 | | | INITIAL RELEASE | 2022.02.17 | JACKY |
| X2 | | ⊗ _{X2} | 新增料号规格 | 2022.03.23 | JACKY |
| X3 | | ⊗ _{X3} | 新增规格 | 2022.09.02 | tanghaibo |



20POS: 560LBG-001H****T000

10POS: 560ABG-001H****T000

| DIM | TOL | DIM | TOL |
|-----|-------|-----|-----|
| x. | ±0.50 | x. | ±5° |
| .x | ±0.35 | .x | ±3° |
| .xx | ±0.30 | | |



DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

| | | |
|-------------------|------------|---|
| CUSTOMER DRAWING | DATE | TITLE: WTB Mate XXP 15H Pitch2.0 90°DIP ASSY |
| DESIGN: Tanghaibo | 2022.09.02 | P/N: 56**BG-***H****T000 |
| CHECK: | | SHEET: 3/3 |
| APPROVAL: | | SCALE: 1:1 UNIT: mm |
| REV. X3 | | |

A

B

C

D

E

A

B

C

D

E

1

2

3

4

5

6

7

8

1

2

3

4

5

6

7

8