



































USB 3.0 Series

ITEM	P/N	Description	Drawing	Specification							Dimension		
				STD /RVS	Pin Count	On Board Height	SMT / DIP	Center Height	Pin No.	Remark	L	W	H
1	5709B3-037Hxx00x	USB3.0 A/F S/T DIP TYPE H=13.35mm		/	/	13.35	DIP	/	/	/	13.35	/	/
2	5709B3-039Hxx00x	USB3.1 A/F S/T DIP TYPE H=13.75mm		/	/	13.75	DIP	/	/	/	13.75	/	/
3	5709B3-045Hx000x	USB3.0 A/F S/T DIP TYPE H=14.45mm直边直脚脚长1.4		/	/	14.45	DIP	/	/	/	14.45	/	/
4	5709B9-060Hx000x	USB3.0 A/F R/A DIP TYPE CH=3.4mm		/	/	6.26	DIP	3.4	/	/	16.5	/	/
6	5709B9-054Hxx00x	USB3.0 A/F 8P SMT TYPE CH=3.4mm		/	/	6.26	SMT	3.4	/	/	12.67	/	/
7	5709B3-055Rx100x	USB3.0 A/F R/A DIP TYPE CH=4.13mm		/	/	6.99	DIP	4.13	/	/	16.5	/	/
8	5709B3-048Hx100x	USB3.0 A/F STANDARD R/A DIP TYPE CH=4.13mm 青蛙脚		/	/	6.99	DIP	4.13	/	/	16.5	/	/
9	5709B3-059Hx000x	DUAL USB3.0 A/F R/A DIP TYPE CH=8.33mm长体青蛙 脚		/	/	15.39	DIP	8.33	/	/	19.56	/	/
10	5709B9-062Hx100x	DUAL USB3.1 A/F R/A DIP TYPE CH=8.33mm鱼叉脚		/	/	15.49	DIP	8.33	/	/	17.4	/	/
11	5709B9-061Hx000x	USB3.1 A/F R/A DIP TYPE CH=0.64mm		/	/	2.22	DIP	0.64	/	/	15.5	/	/
13	5709B3-040Hxx00x	USB3.0 A/F R/A DIP TYPE CH=2.2mm		/	/	5.06	DIP	2.22	/	/	13.9	/	/
14	5709B3-043Hx000x	USB3.0 A/F R/A DIP TYPE CH=2.04mm		/	/	4.9	DIP	2.04	/	/	14.6	/	/
15	5709B9-056Hx000x	USB3.0 A/F R/A DIP TYPE CH=0.11mm		/	/	2.97	DIP	0.11	/	/	13.9	/	/

16	5709B3-044Hx000x	USB3.0 A/F R/A DIP TYPE CH=2.1mm		/	/	4.96	DIP	2.1	/	/	13.9	/	/
17	5709B3-047Hx000x	USB3.0 A/F R/A DIP TYPE CH=0.65mm		/	/	3.51	DIP	0.65	/	/	14	/	/
18	5709B3-041Hx000x	USB3.0 A/F R/A DIP TYPE CH=1.8mm		/	/	4.66	DIP	1.8	/	/	14	/	/
19	5709B9-055Hx000x	USB3.0 A/F R/A DIP TYPE CH=1.8mm		/	/	4.32	DIP	1.8	/	/	15.25	/	/
20	5709B3-042Hx100x	USB3.0 A/F R/A DIP TYPE CH=1.44mm		/	/	4.3	DIP	1.44	/	/	13.9	/	/
21	5709B9-059Rx000x-	USB3.0 A/F R/A DIP TYPE CH=2.9mm		/	/	5.76	DIP	2.9	/	/	13.9	/	/
22	5709B3-056Rx000x	USB3.0 A/F R/A DIP TYPE CH=1.6mm		/	/	4.46	DIP	1.6	/	/	14	/	/
23	5709B3-050Hx000x	USB3.0 A/F R/A DIP TYPE CH=1.51mm		/	/	4.37	DIP	1.51	/	/	14.3	/	/
25	5709B3-057Hx000x	USB3.1 A/F RVS DIP TYPE CH=1.0mm		/	/	3.81	DIP	1	/	/	17.22	/	/
26	5709B3-046Hx000x	USB3.0 A/F RVS DIP TYPE CH=0.0mm		/	/	2.86	DIP	0	/	/	15.5	/	/
27	5709B3-038Hx000x	USB3.0 A/F RVS DIP TYPE CH=-0.81mm		/	/	2.06	DIP	0.81	/	/	12.9	/	/
28	5709B3-058Rx000x	USB3.0 A/F RVS DIP TYPE CH=-2.10mm		/	/	2.71	DIP	2.1	/	/	16.37	/	/
29	5709B3-062Rx100x-xx	USB3.0 A/F RVS DIP TYPE CH=0.32mm		/	/	3.18	DIP	0.32	/	/	17.22	/	/
30	5709B3-052Hx000x	USB3.0 A/F RVS DIP TYPE CH=-2.36mm		/	/	1.72	DIP	2.36	/	/	12.85	/	/

31	5709B3-051Hx000x	USB3.0 A/F RVS DIP TYPE CH=-0.85mm短体		/	/	1.65	DIP	0.85	/	/	12.5	/	/
32	5709B3-049Hx000x	USB3.0 A/F RVS DIP TYPE CH=-1.0mm短体		/	/	1.3	DIP	1	/	/	14.32	/	/
33	5709B3-053Hx000x	USB3.0 A/F RVS DIP TYPE CH=-3.2mm		/	/	1.72	DIP	3.2	/	/	12.85	/	/
34	5709B9-057Hx000x	USB3.0 A/F RVS DIP TYPE CH=-2.21mm		/	/	2	DIP	2.21	/	/	17.45	/	/
35	5709B3-054Hx000x	USB3.0 A/F RVS DIP TYPE CH=-1.8mm		/	/	2	DIP	1.8	/	/	14.5	/	/
36	5709B9-058Hx000x	USB3.0 A/F RVS DIP TYPE CH=-2.1mm		/	/	1.98	DIP	2.1	/	/	12.85	/	/
37	5709B3-036Hx000x	USB3.0 A/F RVS DIP TYPE CH=-2.92mm		/	/	2.37	DIP	2.92	/	/	17.3	/	/