




HF
Halogen Free



REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
1			INITIAL RELEASE	2020.11.18	Alex_Z




DIM	TOL	DIM	TOL
.x	±0.30	ANGLE.X	±2°
.x			
.xx	±0.25		



DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

CUSTOMER DRAWING	DATE
DESIGN: Alex_Z	2020.11.18
CHECK:	
APPROVAL:	
REV. 1	

TITLE: MICRO SD PUSH PUSH 8P 1.35H STD SMT CONN
P/N: SEE TABLE
SHEET: 1/3
SCALE: 1:1
UNIT: mm



NOTES:
 PRODUCT MEETS CONTROLLED SUBSTANCES SPEC. ROHS 2.0

- MATERIAL:
 - HOUSING: LCP,UL94V-0; COLOR: BLACK
 - CONTACT: COPPER ALLOY
 - SHELL: STAINLESS ALLOY
- FINISH:
 - CONTACT: GOLD PLATING ON CONTACT AREA.
GOLD FLASH ON SOLDER TAIL AREA.
50u" MIN. NICKEL UNDERPLATING OVERALL.
SHELL: 30u" MIN. NICKEL PLATING OVERALL.
GOLD FLASH ON SOLDER TAIL AREA.
- DATE CODE: CODE SPURTING OR LASER.

RECOMMENDED PCB PATTERN LAYOUT

TOLERANCE: ±0.05

- PAD AREA
- NO PATTERN AREA OR PANEL OPENING

5709B5-002H*000R**

T: TRAY
 R: REEL
 CONTACTS LPATEING:
 1: Au G/F 2: Au 5u"
 3: Au 15u" 4: Au 30u"
 R:RoHS
 H: HALOGEN-FREE
 MICRO SD

Pin Define	
#1	DAT2
#2	CD/DAT3
#3	CMD
#4	VDD
#5	CLK
#6	VSS
#7	DAT0
#8	DAT1


COMPOSITION OF DETECTION

CARD DETECT(SW)
 CD COMM
 CARD DETECTION/SWITCH
 CARD INSTALLATION: ON
 NON CARD: OFF



DEREN		SHENZHEN DEREN ELECTRONIC CO., LTD	
CUSTOMER DRAWING	DATE	TITLE: MICRO SD PUSH PUSH 8P 1.35H STD SMT CONN	
DESIGN: Alex_Z	2020.11.18	P/NSEE TABLE:	
CHECK:		SHEET: 2/3	
REV. 1	APPROVAL:	SCALE: 1:1	UNIT: mm


DIM	TOL	DIM	TOL
x.		x.	
.x			
.xx			



- NOTES :
- MATERIAL :
 COVER TAPE : PS,
 CARRIER TAPE : PS
 REEL : PS UL94V-0
 SHIPPING BOX: CORRUGATED FIBER
 PARTITION BOARD: CORRUGATED FIBER
 - DIMENSION :
 REEL : SEE DRAWING
 BOX : SEE DRAWING
 - QUANTITY : SEE TABLE
 - PEELING RESISTANCE: 10gf~150gf (for 72mm)
 - PEELING SPEED : 300mm/MINUTES

2000	10	20000
PCS/REEL	REEL/BOX	TOTAL Q'TY

DIM	TOL	DIM	TOL
x.		x.	
.x		.x	
.xx			

		DEREN SHENZHEN DEREN ELECTRONIC CO., LTD	
		CUSTOMER DRAWING DESIGN: Alex_Z CHECK:	DATE 2020.11.18 APPROVAL:
DRAW NO. ***	REV. 1		